
UNDERFLOOR HEATING PACKAGE





- ✓ Pipe clips / heat emission plates
- \checkmark Manifold complete with flow meter valves, air vents, pressure gauge
- and drain points (including pump, blending valve, 2 port valve & bypass)
- ✓ Connections
- ✓ Screed edge insulation
- ✓ Wireless room control kit

THE HOT WATER STORAGE SPECIALISTS

—— est. **1989** ———

UNDERFLOOR HEATING PACKAGE

FEATURES & BENEFITS

Designed for use in screed, floating & suspended floor constructions, a wet underfloor heating system is the most efficient way to provide space heating. Suitable for use with a wide range of hot water sources, the greatest efficiencies can be achieved when used in conjunction with an air source heat pump. Manufactured from Duplex stainless-steel, the hot water storage cylinders are supplied with a factory-fitted 3 kW immersion heater to provide back-up heat.

- ✓ Up to 25% more efficient than traditional radiators
- ✓ Efficient and even heat distribution
- ✓ Lower running temperature requires less energy & reduces heating bills
- Can be used with traditional & renewable hot water sources
- ✓ Suitable for screed, floating & suspended floor constructions
- \checkmark Can be fixed directly to insulation
- \checkmark Suitable for all floor finishes
- ✓ Frees up wall space
- ✓ Ideal for new build and refurbishment projects

- ✓ Can be combined with radiators
- ✓ Requires very little maintenance
- Remotely controlled from anywhere via smartphone or tablet
- ✓ Extensive range of hot water storage cylinder options in 90-500 litre capacities*
- ✓ Supplies mains pressure hot water and high flow rates
- $\checkmark\,$ Full design service
- 25 year manufacturers warranty** on pipe & 2 years on components

Please see the individual cylinder data sheets for detailed product specifications
** Terms & conditions apply

PIPE SYSTEMS

Multi-layer composite (MLCP) or cross linked polyethylene (PE-Xa) pipes.

WATER TEMPERATURE CONTROLS

Regulates the water temperature to the required level.




CROSS LINKED POLYETHYLENE (PE-XA) PIPE



COMPACT CONTROL SET (14kW)




TECHNICAL DETAILS



MANIFOLDS


High quality nickel plated, ready assembled either with flow meters or lock shield valves.



AIR TEMPERATURE CONTROLS

A range of thermostat options including the Heatmiser product range.





A COMPLETE RANGE OF SOLUTIONS



Telford Copper & Stainless Steel Cylinders Ltd

Unit 22, Furrows Business Park, Haybridge, Telford TF1 2FE T +44 (0)1952 257 961 | E sales@telford-group.com

www.telford-group.com