


TECHNICAL DATA



		Clivet Elfo-Energy 2.0 Model							
Description		Unit	4 kW	6 kW	8 kW	10 kW	12 kW	14 kW	16 kW
Nominal Capacity Heating	LWT 35°C at OAT 7°C	kW	6.25	7.40	9.10	10.32	14.57	15.45	16.79
	LWT 50°C at OAT 7°C	kW	5.19	6.86	8.43	9.88	13.90	14.97	16.00
	LWT 35°C at OAT -5°C	kW	5.01	6.03	7.68	8.79	11.29	12.46	13.98
	LWT 50°C at OAT -5°C	kW	4.06	5.04	7.34	8.03	10.77	11.17	12.94
COP Heating	LWT 35°C at OAT 7°C	kW	4.96	4.76	5.07	4.93	4.69	4.59	4.43
	LWT 50°C at OAT 7°C	kW	3.01	3.17	3.17	3.22	3.14	3.11	3.17
	LWT 35°C at OAT -5°C	kW	3.27	3.09	3.22	3.33	2.92	2.99	2.86
Outdoor Air Temperature Range	LWT 50°C at OAT -5°C	kW	2.16	2.23	2.46	2.46	2.27	2.13	2.22
	Heating	°C	-25-35						
	DHW	°C	-25-43						
Water Outlet Temperature Range	Heating	°C	12-65						
	DHW	°C	10-60						
Dimensions (Unit)	W x H x D	mm	1295 x 792 x 400			1385 x 945 x 410			
Net Weight (Unit)		Kg	98 / 121			121 / 148			
Sound Power Level Heating	Heating LWT35°C at OAT 7°C	dB(A)	55	58	59	60	65	65	68
Refrigerant	Type		R32 - 1.75kg						

Notes:
Performances are in accordance with EN14511
LWT: Leaving Water Temperature • OAT: Outdoor Air Temperature